

	Application No.	Applicant(s)
	Application No.	Applicant(s)
Notice of Allowshillty	10/049,592	WURSTHORN, EDGAR
Notice of Allowability	Examiner	Art Unit
	KHAI TRAN	2611
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to <u>7/31/2006</u> .		
2. The allowed claim(s) is/are <u>1-10</u> .		
<ul> <li>3. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).</li> <li>a) ☐ All b) ☐ Some* c) ☐ None of the:</li> <li>1. ☐ Certified copies of the priority documents have been received.</li> </ul>		
2. Certified copies of the priority documents have been received in Application No		
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached		
1) 🗍 hereto or 2) 🔲 to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s)  1. Notice of References Cited (PTO-892)	5. ☐ Notice of Informal P	Patent Application
2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948)	6. ☐ Interview Summary	, ,
	Paper No./Mail Dai 7. ☐ Examiner's Amendr	te
Information Disclosure Statements (PTO/SB/08),     Paper No./Mail Date		
4. Examiner's Comment Regarding Requirement for Deposit of Biological Material		ent of Reasons for Allowance
	9.	

Application/Control Number: 10/049,592 Page 2

Art Unit: 2611

## REASONS FOR ALLOWANCE

1. The amendment filed 7/31/2006 has been entered. Claims 1-10 are pending in this Office action.

## Allowable Subject Matter

- 2. Claims 1-10 are allowed.
- 3. The following is an examiner's statement of reasons for allowance: none of the prior art of the record discloses a phase detector for a phase locked loop for digital input signals in which the digital summed value for a particular number of bits is equivalent to zero, said phase detector having a plurality of sampled and digitized digital sample value being supplied to said phase detector, comprising a delay stage for delaying the digital sample values by one or more sampling clock periods, a subtraction stage, to which the undelayed and the delayed digital are supplied to produce a differential value. and a filter or control stage, to which the output of the subtraction stage is supplied at the output of the filter or control stage which a phase error can be tapped off. characterized in that a processing stage is provided, located between the subtraction stage and the filter or control stage, which assigns one of a plurality of possible output values, to the differential value, wherein a full differential value range is subdivided in a number of sub-ranges corresponding to the plurality of possible output values, so that each differential value falling within one of the sub-ranges will get a same output value assigned.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably

Application/Control Number: 10/049,592 Page 3

Art Unit: 2611

accompany the issue fee. Such submissions should be clearly labeled "Comments on

Statement of Reasons for Allowance."

Conclusion

4. Any inquiry concerning this communication or earlier communications from the

examiner should be directed to KHAI TRAN whose telephone number is (571) 272-

3019. The examiner can normally be reached on 7:00AM - 4:30PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, JAY PATEL can be reached on (571) 272-2988. The fax phone number for

the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the

Patent Application Information Retrieval (PAIR) system. Status information for

published applications may be obtained from either Private PAIR or Public PAIR.

Status information for unpublished applications is available through Private PAIR only.

For more information about the PAIR system, see http://pair-direct.uspto.gov. Should

you have questions on access to the Private PAIR system, contact the Electronic

Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a

USPTO Customer Service Representative or access to the automated information

system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Monsuanter

Primary Examiner

Art Unit 2611